

SEALED UNIT PARTS CO., INC. PO Box 21, 2230 Landmark Place Allenwood, NJ 08720 USA 800-333-9125 • www.supco.com

HIGHSIDE CHEMICALS INC.



SUPCO's family of chemical products combine the strength of SUPCO branded products with the uniquely engineered products from Highside Chemicals, Inc. A broad product offering fills the needs of service professionals.

Applications:

- HVAC
- Refrigeration
- Plumbing
- Appliance
- Automotive
- General Maintenance









A resin based soft setting brushable paste pipe joint compound resistant to all refrigerants, oils, water and most chemicals, liquids and gases.

- · Use with pressures to 10,000 PSI to full vacuums.
- Temperature range -200°F (-93°C) to 400°F (204°C).
- It never hardens and it never becomes brittle.
- Ideal for joining all metals, plastics and other materials.
- · Will stick to all clean surfaces.
- · Prevent vibration from loosening nuts, bolts, plugs and fittings.
- Non Toxic
- GUARANTEES A PERFECT SEAL... UNDER ALL CONDITIONS

PART NO. Leak lock	SIZEPACKAGING	
HS10001	1-1/3 oz TUBE	12/CASE
HS10004	4 oz Brush Top Plastic Jar	12/CASE
HS10016	16 oz Brush Top Plastic Jar	12/CASE
HS10128	1 Gallon Can	1
LEAK LOCK	GOLD	
HS11001	1-1/3 oz TUBE	12/CASE
HS11004	4 oz Brush Top Plastic Jar	12/CASE
HS11016	16 oz Brush Top Plastic Jar	12/CASE
HS11128	1 Gallon Can	1

Red Epoxy

When you need a sealant you can count on.

- High Performance, Heat Cured, Two Part, Epoxy Kit
- Exhibits a Color Change When Cured (Turns Gold)
- · May Be Cured With a Hot Air Gun or Open Flame in Minutes
- -100°F (-73°C) to 300°F (149°C)
- · Working Pressure in Excess of 3000 PSI
- Tensile Strength: 6000 PSI
- · Works on Vertical Surfaces
- · Pressure Tested to 3000 psi
- Simple, Quick Mixing & Application
- Oil, Gas, Fuel & Solvent Resistant
- · No Rush, No Wait, You Control Curing Time
- · Equipment is Serviceable Immediately
- Use on All Metals and Rigid Plastics
- HVAC & Refrigeration
- Plumbing & Appliances

PACKAGING

12/CASE

- Automotive & Marine
- · Petrochemical, Manufacturing
- Industrial, Commercial, Institutional



Solderlene

PART NO.

HS12001

High Quality, Paste Type, Non-Acid Soldering Flux.

· Industrial strength wetting agents to promote solder flow

SIZE

Kit Including 2 1/2 oz Tubes

- For use with low and mid-temp. soft solders, both lead and lead-free
- · Effective on all metals except aluminum and magnesium.
- Brush Top Plastic Jars

PART NO.	SIZE	PACKAGING
HS30004	4 oz	12/CASE
HS30016	16 oz	12/CASE



Thawzone

(New Formula)

The original liquid dehydrant, frees your frozen system in minutes. It seeks out moisture and chemically bonds to it.

- Enhanced moisture control in even the most advanced systems.
- · Aids with oil return in low temperature systems.
- · Compatible with all refrigerants and refrigeration lubricants.
- · Helps prevent the formation of acid. Safer
- No Methanol
- · Environmentaly Sound
- Add 1/8 fluid ounce (3.75 ml) of THAWZONE directly to the re-
- frigerant of any system for every 1 lb. Of refrigerant in the system.

*HIGHSIDE SYSTEM INJECTOR (part no. HSINJ001) IS RECOMMENDED FOR IN-TRODUCING THAWZONE INTO AN OPERATING SYSTEM.

PART NO.	BOTTLE SIZE	PACKGING
HS17001	1 oz	24/CASE
HS17004	4 oz	12/CASE



- · Biodegradable, non-polluting
- Non-Poisonous



Highside System Injector

Use for introducing any liquid into the low side of a charged hermetic system.

- Entirely reusable
- · Constructed of rugged aluminum for long life
- · Designed for use with any standard manifold gauge and requires no extra valves or fittings
- Drip proof, no spill design takes the mess out of maintenance
- Helps prevent the venting of refrigerants into the atmosphere.
- Prevents the introduction of air into an operating system.
- It can be used on sealed operating systems to avoid shutdowns.
- Use with Trace, Trace 2, Thawzone and Acid Neutralizer
- · Compatible with all refrigerants

PART NO.	PACKAGING
HSINJ001	1

Gas Leak Detector





Non-toxic

Leaks appear as large strong bubbles which cling to the surface and are fluorescent under a black

• Rated to -30°F (-34°C) Use On:

• Fluorescent

Low Temp

light. Non-freezing

- Hot and cold piping
- Natural Gas
- Most Gases
- Non-hazardous
- · Bubble-type gas leak detector
- Air
 - All Refrigerants

Gas Leak Detector Mid Temp Same as above except:

 Rated to 27°F (-3 	°C)	
---------------------------------------	-----	--

PART NO. Low Temp	CONTAINER Size	ТҮРЕ	PACKAGING
HS22008	8 oz	Plastic Bottle w/Dauber	24/CASE
HS22032	32 oz	Trigger Sprayer Bottle	12/CASE
HS22128	1 GAL.	Plastic Bottle	6/CASE
Mid Temp			
HS23008	8 oz	Plastic bottle w/Dauber	24/CASE
HS23032	32 oz	Trigger Sprayer Bottle	12/CASE
HS23128	1 GAL.	Plastic Bottle	6/CASE



Trax

Bubble-type liquid leak detector formulated to produce long lasting bubbles under 'job-site' conditions.

Non-Toxic

• Does Not Pit Surfaces

• Detects Leaks as Small as 1 Micron

- Clear
- No Cleanup
- Environmentally Friendly
- Evaporates Leaving No Residue
- Oxygen Compatible • Temp Range: 27°F (-3°C) to 200°F (93°C).

Meets the performance requirements of Military specifications: MIL 25567 Type I A, B & C.

PART No.	CONTAINER Size	ТҮРЕ	PACKAGING
HS24010	10 oz	Squeeze Bottle w/	12/CASE
HS24128	1 GAL.	Extenable Spout Bottle	6/CASE







Trace2

A red penetrant dye in a polyolester base that is completely compatible with all refrigerants and lubricants, old and new. Use to locate the hardest to find leaks under the toughest conditions in low light or dark areas.



- · Leaks show as bright red stains
- For refrigeration and hydraulic systems
- · Florescent with any ultraviolet light source
- Non-volatile and will not sludge or deposit gum
- · Clearly visible, even through ice and frost
- Locates leaks exactly, no false positives

Trace

A red penetrant dye in a mineral oil base that is completely harmless to refrigeration, air conditioning and hydraulic equipment.

Hydro Trace

Locate hard-to-find leaks in any closed system containing water and/or antifreeze compounds such as Propylene Glycol and Ethylene Glycol. When added to a system leaks are easily visible as bright red stains under normal lighting conditions and as a bright orange glow when exposed to an ultraviolet light source.

Applications Include:

- Refrigeration
- Hydronics
- Automotive
- Process Cooling
- Chemically Inert
- Will not harm equipment or seals

Trace2 and Trace are the easiest and least expensive way to locate leaks in an operating system and are for use in systems where the lubricants travel with refrigerants.

WITH SUPERBRI	TE UV TRACER	
PART NO	CONTAINER SIZE	PACKAGING
TRACE2		
HS21004	4 oz Plastic Bottle	12/CASE
HS21016	16 oz Plastic Bottle	6/CASE
HS21128	1 Gallon Can	4/CASE
TRACE		
HS20004	4 oz Plastic Bottle	12/CASE
HS20016	16 oz Plastic Bottle	6/CASE
HS20128	1 Gallon Can	4/CASE
HYDRO TRACE		
HS26004	4 oz Plastic Bottle	12/CASE
HS26128	1 Gallon Can	4/CASE



SPIRO LITE UV BULB

120 Volt Florescent UV Light Source For Your Light Trouble


PART NO.	PACKAGING
HSUVB001	1



DYE WASH

Removes any type of leak detecting dye from equipment and Pipe surfaces to prevent false readings during future and follow-up leak detection.

 Non-Toxic Environment 	ally Friendly	Non-CorrosiveSafe on All Metals	 Easy To Use Safe on Plastic & Rubber
PART NO.	CONTAINER SIZE	PACKAGI	IG
HS51032	32oz Spray Bottle	12/CASE	



The Cure for Acid Problems.

- · Works Fast
- Circulates Quickly
- Compatible with ALL Lubricants
- Safe, Will Not Harm System Components
- No Complicated Charts

A vital part of any preventative maintenance program.

- No Solids or Solid Residuals
- · Compatible with ALL Refrigerants
- · Neutralizes Acid in Recovery Equipment
- · Easy to Use
- · Can Prevent Compressor Burnout

PART NO **BOTTLE SIZE** PACKAGING

HS18004	4 OZ.	12/CASE



Super Flush

AC/R Internal System Cleaner

Neutralizes and Removes Acid Caused By Compressor Burnout

- Biodegradable · Easy to Use
- · Environmentally Safe Non-Flammable
- · Cleans in a Single Treatment Saves Time and Money
- · Compatible with All Refrigerants and Refrigeration Oils
- Does Not Contain Halogenated Solvents
- · Cleaning Agent for all A/C and Refrigeration Parts
- Use:

Tar

- Before a system retrofit
- · After a compressor burnout
- · Recovery, Recycling and Reclamation Equipment
- On automotive (Remove immediately)

One Treatment Cleans and Removes:

- Sludge
 Carbon Deposits Soot • Gum
 - Mineral Acids Debris Grease
- · Moisture · Organic Acids

PART NO.	CONTAINER	PACKAGING
HS55032	32 oz Plastic Bottle	12/CASE
HS55128	1 Gal. Plastic Bottle	6/CASE

ICE BLOCK Heat Transfer & Anti-Freeze

Propylene Glycol based anti-freeze and heat transfer fluid capable of providing pipe burst protection to temperatures as low as -100° (-73*C). All ingredients are generally regarded as safe by the FDA, making ICE BLOCK the recommended anti-freeze protection where there is possible contact with potable water sources. Non-Toxic • Safe and Easy to Use Maximum Corrosion Protection

- · Chemically Stable Will Not Separate
- Maximum Heat Transfer
- · Protects Pipes and Other System Components From Freeze Damage
- Applications Include:
- Refrigeration Systems
- Chilled Water Systems
- Coil Defrosting
- Ice Making Machines
- Water Based Heat Extraction System
- Snow Melting Systems

- · Lubricates As It Works

- Hydronic Heating Systems
- Solar Heating & Hot Water Systems
- Cooling Systems & Chillers
- Immersion Freezing
- Air Hydronic, Heat Pumps & Furnaces, Winterization of Any WaterBased Systems
- Process Cooling
- Ground Water Coupled Heat Pumps
- Cooling Towers
- Industrial Heat Transfer Systems
- Fire Hydrant & Sprinkler System

PART NO.	BOTTLE	PACKAGING
HS15128	1 Gallon	6/CASE

- · Will Not Leave Deposits
- · Safe For Use Where Contact with Potable Water is Possible

COIL TAMER PRODUCTS Made for the Professional



PINK STUFF

Heavy Duty, Foaming, Acid Based Concentrated Liquid Coil Cleaner

- Foaming Action Pushes Dirt Out of Coils to be Rinsed Away.
- Non Flammable Easy to Use Non Oily • Biodegradable
- Cleans and Brightens:

GREEN STUFF

Fins

• Equipment Surfaces Condenser Coils Evaporator Coils



Effective On:

 Heavy Oxidation 	 Oily Dirt 	 Lint
Grease	Mold	 Mildew
 Algae 	 Oils 	

 Ctondord	τ.	~	Droo	 Car

Easily Applied Using Standard Low Pressure Sprayer				
PART NO.	CONTAINER	PACKAGING		
HS58128	1 Gal. Plastic Bottle	4/CASE		

Self Rinsing on Evaporator Coils and is Easily Applied with

Dirt

Lint

a Low Pressure Sprayer.

Algae

CONTAINER

1 Gal. Plastic Bottle



Non Flammable · Fast Acting Biodegradable Brightens

For Heavy Duty Cleaning and Degreasing of:

Concentrated Alkaline Based Liquid Coil Cleaner

- Condenser Coils Evaporator Coils
 - Electronic Cells
- Permanent Filters Equipment Surfaces

Coil Blaster Solvent

· Basting Aerosol Nozzle

All HVAC/R Equipment

Automotive Parts

Nonflammable

No Residue

Degreases

Use On: Evaporator Coils

Solvent Based High Pressure Aerosol Coil Cleaner Pleasantly Scented

- Fast Drying
- · Easy To Use
 - Nonconductive
 - No Cleanup
 - Safe To Use On Equipment While Running

Non Oily

- · Condenser Coils
- Electrical Equipment
- Electrical Components

Effective On:

•	Dirt
	Grime

PART NO. HS59128

Effective On:

Grease

Dust

Tar

Mildew

•	Grease
•	Oil

• Oil

Mold

Nicotine

PACKAGING

4/CASE

PART NO.	CONTAINER	PACKAGING
HS58520	18 oz Aerosol Can	12/CASE

d	-			þ
	HD	JE	T	ŀ
	FOA.	ME	R	
	to Dury N	Dentis I	1.000	
l	-	-	1	
	The	-	5	
0	7ª		2	
1	forma to	(a hea	
l			=	
111	WHO	896G-1		
2	THE CH	EMON.	5.00	

19.4

HD Jet Foamer Coil Cleaner

Heavy Duty Foaming Coil Cleaner in an aerosol can Convenient · Easy to Store

- · Pleasant Scent
 - Water Based
 - Nonflammable
 - Corrosion Inhibitors

Oil

- Spray Nozzle
- · No Chlorinated Solvents

• Environmentally Friendly

No Ozone Depleaters

Quickly and Easily Liquifies: Grease

• Dirt

• 360

- Residues · Deposits Use On:
- · Evaporator Coils · Condenser Coils

Will Not Harm Plastics, Metals or Surrounding Equipment

PART NO.	CONTAINER	PACKAGING
HS59520	19 oz Aerosol Can	12/CASE

* MSDS Sheets are available for all chemicals, visit www.supco.com or call SUPCO at (800)333-9125.



ICEMAX

Nickel Safe Ice Machine Cleaner

High Performance Ice Machine Cleaner in a Powder avoids dangerous and messy spills that can damage your facility, vehicles and destroy other valuable inventory. Prevents liquid spills that can attract unnecessary regulatory attention.



- · Inhibits Formation of Scale Maximum Scale Removing Power
- Prevents Corrosion · No Acidic Residue
 - Makes 1 Gallon of Concentrated Cleaner
- Enviornmentally Friendly · Will Not Separate or Chemically Change Over Time
- · Indefinite Shelf Life (When Kept Sealed)
- Saves Freight Costs

BOTTLE SIZE PART NO. PACKAGING HS50004 4.4oz 12/CASE



Filter Fan & Vent Cleaner

Heavy duty cleaner specifically formulated for the heating,

- ventilation, air-conditioning and refrigeration industry. Biodegradable
 - · Environmentally Friendly Non-Toxic
- Non-Corrosive Easy to Use
 - · Safe & Effective
- **Removes:** Dust

Grease

- Dirt
- Oil
- Tar Deposits
- Use On:
- · Electronic Cells
- Permanent Air Filters
- Permanent Pre-Filters • Fan Blades, Plastic & Metal
- All Vents & Vent Surfaces Equipment Surfaces
- Most Air Cleaning Equipment

PART NO. CONTAINER PACKAGING HS52032 32oz Plastic Spray Bottle 12/CASE HS52128 1 Gal. Plastic Refill 6/CASE

CDC Anti-Clog

Condensate Drainpan Conditioner Laboratory proven to kill 99% of Legionnaire's Disease bacteria and a broad spectrum of harmful bacteria including those causing the common cold and other respiratory ailments.

- EPA Registered
- Improved Chemical Formulation
- · Water activated timed-release
- · 3 to 6 months, 24 hours/day service
- · Works in equipment of all sizes (Available in 2 Sizes)
- · Filter material meters biocide for consistent chemical release
- · Sealed, tamper proof housing prevents skin contact w/ biocide
- · Designed not to clog drain hole
- · Can be placed vertically or horizontally
- · Ph neutralizers help protect drainpan against corrosion
- 40% more high efficiency biocide (by weight)

Use CDC ANTI-CLOG* wherever there is Air Conditioning and Refrigeration Equipment

PA	RT NO.	SIZE	PACKAGING
HS	52105	Units up to 5 Tons	24/CASE
HS	52115	Units up to 15 Tons	12/CASE



SUPCO88 Oil Additive

Introduced in 1954 and valued worldwide, this super lubricant is a "must use" in repair and preventative maintenance programs.

- · Compatible with all refrigeration oils
- Dissolves sludge buildup on bearing and valve surfaces
- Prevents binding of high speed compressors

Zoom Spout® Oiler

All-Purpose Lubricating Oil

Viscosity 92-99 @ 140°F

appliance pumps, etc...

• Normal and High speed shaft bearings

Counter Display Case

tween" length

Applications

· Prevents excess wear in motors and compressors

Part No.	Bottle Size	Packaging
S8	8 OZ.	24/CTN

A paraffin base, non-gumming, high quality lubricating oil

Withstands high temperatures without breaking down

· Flexible spout extends and retracts, adjusts to any "in-be-

· All types of motors, blowers, oil burner bearings, linkages,

Application Notes:

To Prevent Excess Wear on Expansion Valves and Capillaries Mix one part SUPC088 to 9 parts refrigeration oil.

- · Prevents excess wear on expansion valve needles and seats.
- Penetrates the pores of ALL moving metal parts of the expansion valve for constant lubrication.
- Extend the Life of ALL Motors (i.e. for Blowers Air Conditioners)
- A few drops will help free a "frozen" or sticking motor shaft
- Mix 9 to one for regular bearing maintenance.
- Decreases "bearing to shaft" friction and sludge accumulation when mixed 9 to one.


Rust Buster® Solvent

More Efficiency for High Speed Compressors

- Increases the lubricating capability of mineral oils in high speed compressors.
- Used in new units to reduce current draw by reducing friction and preventing overloading.
- SUPCO 88 can be left in the system permanently.

Dissolves Rust Telescoping Pullout Spout Loosens rust in seconds No lingering odor Counter Display Case







KLEEN-AIR Odor Absorber

- Simply open the spout to absorb and
- remove all kinds of odors.
- One 8 ounce bottle works for 1 year in a 9' x 12' room

Part No.	Bottle Size	Packaging
KA12	8 OZ.	12/Case