# SAFETY DATA SHEET



1. Product and Company Identification

Product identifier Cal-Blue Plus Gas Leak Detector (4182-01, 4182-08, 4182-24, 4182-53)

Other means of identification Not available
Recommended use Gas Leak Detector
Recommended restrictions None known.

Manufacturer information Nu-Calgon

2611 Schuetz Road St. Louis, MO 63043 US

Phone: 314-469-7000 / 800-554-5499

Emergency Phone: 1-800-424-9300 (CHEMTREC)

**Supplier** See above.

2. Hazards Identification

Physical hazardsNot classified.Health hazardsNot classified.Environmental hazardsNot classified.WHMIS 2015 defined hazardsNot classified

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

None known

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

Hazard(s) not otherwise

classified (HNOC)

None known

None known.

**Supplemental information** Not applicable.

3. Composition/Information on Ingredients

**Mixture** 

 Chemical name
 Common name and synonyms
 CAS number
 %

 1,2-Propanediol
 57-55-6
 10-30\*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments US GHS: The exact percentage (concentration) of composition has been withheld as a trade

secret in accordance with paragraph (i) of §1910.1200.

\*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a

trade secret.

4. First Aid Measures

Inhalation Not a normal route of exposure. If symptoms develop move victim to fresh air. If symptoms persist,

obtain medical attention.

Skin contact Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical

attention if irritation persists.

Ingestion Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

Direct contact with eyes may cause temporary irritation.

aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical

attention.

Most important

symptoms/effects, acute and

delayed

media

Indication of immediate medical attention and special

treatment needed General information Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

# 5. Fire Fighting Measures

Suitable extinguishing media Unsuitable extinguishing

Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

**Hazardous combustion** products

May include and are not limited to: Oxides of carbon. Oxides of nitrogen.

# 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep out of low areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Stop the flow of material, if this is without risk.

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

# **Environmental precautions**

# 7. Handling and Storage

Precautions for safe handling

Ensure adequate ventilation. Avoid prolonged exposure. Use care in handling/storage. Avoid contact with eyes, skin and clothing.

Conditions for safe storage, including any incompatibilities Keep away from heat, open flames or other sources of ignition. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure Controls/Personal Protection

# Occupational exposure limits

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
1,2-Propanediol (CAS 57-55-6)	TWA	155 mg/m3	Vapor and aerosol.
		10 mg/m3	Aerosol.
		50 ppm	Vapor and aerosol.
US. AIHA Workplace Environme	ental Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
1,2-Propanediol (CAS	TWA	10 mg/m3	Aerosol.

**Biological limit values** 

57-55-6)

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** See above

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Safety goggles or glasses.

Skin protection

**Hand protection** Rubber gloves. Confirm with a reputable supplier first.

Other As required by employer code. Wear suitable protective clothing.

Respiratory protection Not normally required if good ventilation is maintained. Where exposure guideline levels may be

exceeded, use an approved NIOSH respirator.

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and Chemical Properties

AppearanceClearPhysical stateLiquid.FormLiquid.ColorBlue

Odor Characteristic
Odor threshold Not available.

**pH** 8.93

Melting point/freezing point Initial boiling point and boiling

range

Not available. Not available.

Pour point Not available.

Specific gravity 1.02

Partition coefficient

(n-octanol/water)

Not available

Flash point Not available.

Evaporation rate Not available

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

ver

Not available

(%)

Flammability limit - upper

/o/ \

Not available

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available Vapor pressure Vapor density Not available Relative density Not available. Solubility(ies) Not available. Not available **Auto-ignition temperature Decomposition temperature** Not available.

# 10. Stability and Reactivity

**Reactivity** This product may react with strong oxidizing agents.

325 - 425 cPs

Possibility of hazardous

reactions

Viscosity

No dangerous reaction known under conditions of normal use.

**Chemical stability** Material is stable under normal conditions.

**Conditions to avoid** Do not mix with other chemicals.

**Incompatible materials** Strong oxidizing agents.

# 11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

Prolonged inhalation may be harmful. Inhalation

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

**Acute toxicity** 

**Test Results Species** Components

1,2-Propanediol (CAS 57-55-6)

**Acute** 

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

20800 mg/kg

Inhalation

Not available LC50

Oral

LD50 Dog 19000 mg/kg

> 184000 mg/kg Guinea pig

Mouse 24900 mg/kg

23900 mg/kg

19700 mg/kg

Rabbit 14800 mg/kg Rat 22000 mg/kg

20000 mg/kg

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

Not available. **Exposure minutes** Not available. Erythema value Oedema value Not available.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Corneal opacity value Not available. Not available. Iris lesion value Conjunctival reddening Not available.

value

Conjunctival oedema value Not available. Not available. Recover days

Respiratory or skin sensitization

Not available. Respiratory sensitization

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, NTP, or OSHA. Carcinogenicity

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Not available. **Teratogenicity** 

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** 

Not available.

See below

**Chronic effects** Prolonged inhalation may be harmful.

12. Ecological Information

**Ecotoxicity** 

Ecotoxicological data

Components

1,2-Propanediol (CAS 57-55-6)

**Species** 

**Test Results** 

EC50 Crustacea

Daphnia

10000 mg/L, 48 Hours

Aquatic

EC50 Crustacea Fish LC50

Water flea (Daphnia magna) Fathead minnow (Pimephales promelas) 710 mg/L, 96 hours

No data is available on the degradability of this product.

> 10000 mg/L, 48 hours

Persistence and degradability

**Bioaccumulative potential** Mobility in soil

No data available. No data available. Not available.

Other adverse effects

Mobility in general

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal Considerations

**Disposal instructions** 

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport Information

**Transport of Dangerous Goods** (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

#### U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

IATA/ICAO (Air)

Not regulated as dangerous goods.

**IMDG (Marine Transport)** 

Not regulated as dangerous goods.

# 15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

Not applicable WHMIS 2015 Exemptions

#### **US federal regulations**

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

The chemical listed in Section 3 is on the TSCA Chemical Substances Inventory.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous

No

chemical

# SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

## US state regulations

See below

## US - Minnesota Haz Subs: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed.

# US - New Jersey RTK - Substances: Listed substance

1,2-Propanediol (CAS 57-55-6)

#### **US - Texas Effects Screening Levels: Listed substance**

1,2-Propanediol (CAS 57-55-6) Listed.

# US. Massachusetts RTK - Substance List

Not regulated.

#### US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

# US. Pennsylvania Worker and Community Right-to-Know Law

1,2-Propanediol (CAS 57-55-6)

#### **US. Rhode Island RTK**

1,2-Propanediol (CAS 57-55-6)

# **US. California Proposition 65**


California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other Information







**Disclaimer** The information in the sheet was written based on the best knowledge and experience currently

available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or

consequential damages which may result from the use of or reliance on any information contained

in this document.

Issue date 8-December-2021

Version # 0

Effective date 8-December-2021

Prepared by Nu-Calgon Technical Service Phone: (314) 469-7000

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.